INFORMATION REPORT INFORMATION REPORT

CENTRAL INTELLIGENCE AGENCY

This material contains information affecting the National Defense of the United States within the meaning of the Espionage Laws, Title 18, U.S.O. Secs. 793 and 794, the transmission or revelation of which in any manner to an unauthorized person is prohibited by law.

		C- O- N- F- T- D- H- I	4-1-1-Y-1		50X1-HUM
COUNTRY	USSR (Moscow	Oblast - Georgian SSR)	REPORT		
SUBJECT	Repair and M	aintenance Laboratory of	DATE DISTR. 24	March 1961	
	the Ministry	of Communications	NO. PAGES	1	
			REFERENCES		50X1-HUM
DATE OF INFO. PLACE & DATE ACQ.					
	SOURCE EVA	UATIONS ARE DEFINITIVE. APPR	AISAL OF CONTENT	D IEMONYE.	50X1-HUM
	A five-page	report on the repair and	maintenance lab	oratory of the M	
	of Communica	tions This report provides a	general comment	ary on location	and 50X1-HIIM
•	recorders an	, a discussion of equipmed microphones, a brief de Stadium complex, a sched briefly outlined, and a tions pass.	scription of co ule of 1956-195	mmunications rac 7 communications	50X1-HUN
					50X1-HUM
					50X1-HUM
					50X1-HUM
				ſĨ.	50X1-HUM
				AC!C	50X1-HUM
		C-O-N-F-I-D-	-E-N-T- I-A-L	Acic	34
				** <u>-</u>	50X1-HUN
STATE	X ARMY # X	C-O-N-F-I-D-	E-N-T-I-A-L	ACIC OCR X	72

C-O-N-F-I-I	D-E-N-T-I-A-L	50X1-HUM
COUNTRY: USSR (Moskovskaya oblast/Georgian SSR) SUBJECT: Repair and Maintenance Laboratory of the Ministry of Communications PLACE ACQUIRED:	REPORT DATE OF INFO DATE ACQUIRI DATE OF REPORT: 17 November 1960	50X1-HUM
		50X1-HUM

REPAIR AND MAINTENANCE LABORATORY OF THE MINISTRY OF COMMUNICATIONS

General

1. The repair and maintenance laboratory was on the first floor of the Communications Ministry central telegraph building, a 150-200 m x 60-70 m four-story gray stone construction. on ulitsa Gorkogo in Moscow.

50X1-HUM

On the ground floor were telegraph offices for accepting telegrams, a storage room with spare tape recorders, microphones, and spare parts, a bookkeeping office with three or four employees, and a first aid station with a feldsher in attendance, besides the repair and maintenance laboratory, which was part of a large machinery repair shop, with sections for studio maintenance, telegraph repair, TV servicing, disc recording and broadcasting maintenance.

C_O_N_R-T-D-E-N-T-I-A-L

	C-U-N-K-I-D-K-N-T-I-A-L	50X1-HUM			
	-2- Ati	•			
2.	The chief of the machinery repair shop and director of maintenance personnel from 1948 to 1954 was Nikolay Ivanovich Ivanov. From 1954 to December 1956. it was an engineer. Burochev (fnu) 50X1-HUM				
	Burochev was subordinate directly to the Ministry of Com Under his jurisdition were the machinery repair shop emp	munications.			

Equipment Used

- There were no wire recorders. The recorders used were tape recorders only, type NEZ 8 and MEZ 16. These were stationery recorders, about one meter high, one meter long, and 0.40 meters wide, with a tape speed of 77 revolutions, which ran on 250 kilowatts. The tapes were from 50 kiloherts to 10,000 kiloherts. There were three motors, one for drive and two for winding, and buttons for starting, stopping, recording, and reproduction. The difference between MEZ 8 and MEZ 16 was an improvement in the arrangement of the rectifier and amplifier inside the MEZ 16 recorder providing greater accessibility for repair. The recorders were made by the Moscow Experimental Plant (Moskovskiy Eksperimentalnyy Zavod) located on Bakuninskaya ulitsa near the Electrozavodskaya metro station in Moscow, the only plant in the USSR producing tape recorders. It supplied the entire USSR and exported to Red China, Rumania and other unknown satellite countries.
- 4. The microphones used were of three types:
 - round condenser type microphone about eight 50X1-HUM centimeters in diameter placed on a socket about 20 centimeters high. This microphone was the 50X1-HUM best the laboratory had, and was used for cultural and sport events.
 - b. A rhomboid Soviet made microphane used for tape recording. This mike was about 26 centimeters high, 12 centimeters wide at its widest point and six centimeters wide at its narrowest point. It was made by IRPA (Institute of Radio Equipment Industry Institut Radio Promyshlennoy Apparatury) in Leningrad.

_C-O-1	1-F-	I-D-1	E-N-T	-I-A-L

C-O-N-F-I-D-E-N-T-I-A-	т.	50X1-HUM
-3-	Ace	

- c. An oval Soviet microphone used for speeches. This microphone, also made by IRPA, was about 15 centimeters long with a diameter of six centimeters.
- 5. The line used was low frequency for plus 12 decibels, 3.1 volts. It was about 1.5 centimeters in diameter with finylplastic on the outside over a metal screen, thread, another layer of vinyl, two enameled conduits, vinyl, thread, a metal screen, and another layer of vinyl. This wire came in lengths of 200 meters from an unknown firm.

Communications Facilities at the Lenin Stadium Complex

6. recording equipment in the 50X1-HUM newly built Lenin Stadium in Moscow. The stadium had 13 studios, 13 recording stations, and a central recording office, which had a direct connection to the main recording office located in the central telegraph building on ulitsa Gorkogo. Each studio had a speaker's stand with two microphones and signal lights for coordination with its corresponding recording station. Each recording station had four microphones, four MEZ tape recorders, signal lights for coordination with the speaker in the studio, wires running to the studio, and wires running to the central recording office. It also had intercom and outside telephone connections. The Lenin Stadium complex had three TV stands for cameras with cables connecting these cameras to a TV truck outside the stadium. The truck in turn was connected to a telecenter (teletsentr) located on ulitsa Shablovka near Oktyabrskaya ploshchad Leninskiy Rayon. This telecenter had a steel antenna about 90 50X1-HUM meters in height and 15 to 20 meters square at its base. 50X1-HUM these cables were

of black rubber about four centimeters in diameter.

Scheduled New Radio Construction

7. In the fall of 1956 construction had begun in Kalinin of a TV relay station intended to relay Moscow TV programs to small towns from Moscow to Leningrad. It was also rumored that several new telecenters would be constructed in 1957 in Moscow. Construction of a 45 to 50-story communications building in Moscow modeled after the communications building erected in 1956 in Peiping, China, was planned. This building was to house recording, radio, and TV studios and was to have its own complex of garages, repair shops, and apartments for its employees.

C-O-N-F-I-D-E-N-T-I-A-L

	•	C-O-N-F-I-D-E-N-T-I-A-L	50X1-HUM
		-4- aa	
8.	Ministry of Communi	cations Pass	
0.	and had a cover of	The pass was about 10 cm x 6 cm when folded red cardboard. The color of the pass was	
	changed annually.	(See sketch of pass on page 5.)	50X1-HUM

C-O-N-F-I-D-E-N-T-I-A-L

C-9-N-F-1-D-R-N-T-T-A-T50X1-HUM

50X1-HUM

of Communications Page

Communications Ministry Name Patronym Last Name Assignment	No Extended to
Issued on Valid to Bearer's Signature	Signatures of Ministry Officials
Cachet Hammer and Sickle embl	Signs for the guards indicating floor and offices

C-O-N-F-T-D-W-N-M-T-A